

United States Senate
WASHINGTON, DC 20510-4704

COMMITTEES:
APPROPRIATIONS
BUDGET
HEALTH, EDUCATION, LABOR,
AND PENSIONS
VETERANS' AFFAIRS

May 8, 2024

The Honorable Kyrsten Sinema
Chair
Subcommittee on Military Construction
and Veterans Affairs
Senate Committee on Appropriations
Washington, D.C. 20510

The Honorable John Boozman
Ranking Member
Subcommittee on Military Construction
and Veterans Affairs
Senate Committee on Appropriations
Washington, D.C. 20510

Dear Chair Sinema and Ranking Member Boozman:

I certify that neither I nor my immediate family has a pecuniary interest in any of the congressionally directed spending items that I have requested in the Fiscal Year 2025 Military Construction, Veterans Affairs, and Related Agencies Appropriations bill, consistent with the requirements of paragraph 9 of Rule XLIV of the Standing Rules of the Senate. None of the entities for which I have requested congressionally directed spending are for-profit entities.

Sincerely,



Patty Murray
United States Senator

**Murray, Patty(D-WA) Military Construction and VA
Congressionally Directed Spending Requests**

| Recipient Name | Project Purpose | Project Location | Amount Requested (\$000) |
|--------------------------------|--|-------------------------|---------------------------------|
| Camp Murray | This facility will support a resilient and synchronized Joint Forces, ready to deploy combat-ready forces to address aggression or crises and to deter potential threats through State partnership programs. | Camp Murray WA | \$5,200 |
| Fairchild AFB | The pull through spots are cracking and this puts the aircrafts at risk of damage. | Fairchild AFB WA | \$4,500 |
| Fairchild AFB | The parts warehouse needs to be larger to handle the repairs needed for the KC-135 fleet. | Fairchild AFB WA | \$2,500 |
| Washington Army National Guard | The Washington Army National Guard needs to update a controlled humidity warehouse. It provides controlled environment storage for low use vehicles which reduces maintenance associated with environmental corrosion. | Tacoma WA | \$6,000 |
| Yakima Training Center | A new wastewater treatment plant is necessary as the current one continues to deal with issues of back flow and is at risk of failing. | Yakima WA | \$6,800 |